

TOP 25 BUSINESS APPS

The Best Apps & Software For Business. Find the Right Tool Now!



AdChoices



Michael Ascher, M.D., Contributor
Psychiatrist, University of Pennsylvania

Mindful Moderate Drinking— How to Drink Less, Enjoy it More, and Reduce the Risks

04/11/2017 10:17 pm ET | Updated Apr 12, 2017



By [Arnold Washton, PhD](#) and [Michael Ascher, MD](#)

While it might be a little jarring to hear this coming from two addiction specialists on the front lines of clinical practice, alcohol can be a positive force in many people’s lives. Practitioners like us see a very skewed sample of drinkers— mostly those with severe alcohol problems that cause severe consequences. Not surprisingly, in our work with patients we concentrate more heavily on the real and present dangers of drinking than on the many positive reinforcing effects of alcohol.

But we cannot and should not overlook the fact that drinking alcohol for its mood-altering effects is a normative



Mindful Moderate Drinking— How to Drink Less, Enjoy it More, and Red...



moment, and create an atmosphere where new ideas and new connections spontaneously occur. Even the tea-totaling Shambhala Buddhists teach a class on mindful drinking because they consider it to be a tool to loosen the subtle cling of the ego (but only for the most highly evolved practitioners who have sufficient mastery over alcohol to turn a would-be poison into a positive force).

The fact is, only a small fraction of the vast alcohol-consuming population ever develops significant problems related to drinking. And, studies show that the overwhelming majority of people who do develop some type of problem with alcohol do not suffer from a moderate or severe alcohol use disorder or what was previously referred to as “alcoholism” or “alcohol dependence.”

So, what is the right role for alcohol in a person’s life? And how can those concerned about their drinking continue to enjoy the benefits and pleasures of alcohol without putting themselves at risk of suffering negative consequences? Here is the bottom line: The key to maintaining a healthy relationship with alcohol is to be mindful of when, where, why, how much, and how quickly you drink; to know when it’s time to say “when” or take a vacation from drinking; and, to have a set of personal guidelines for managing your alcohol consumption within reasonable limits. Since this is easier said than done, we offer some potentially helpful insights and tips.

How Much is “Too Much”?

There is no widely accepted medical definition of “moderate” drinking, but according to the [National Institute of Alcohol Abuse and Alcoholism \(NIAAA\)](#), “low-risk” alcohol use is defined as up to two drinks daily for healthy adult men and one drink daily for healthy adult women. (One drink equals one 12-ounce bottle of beer, one 5-ounce glass of wine, or 1.5 ounces of 80-proof distilled spirits). The NIAAA considers significantly exceeding these limits to be “heavy” or “at-risk drinking.” Keep in mind that these are *upper limits*— not recommended levels of drinking— based on actuarial statistics about the relationship between levels of alcohol consumption and certain types of health problems. People can still have alcohol-related problems within these limits, particularly if they drink too quickly, have medical or mental health problems, take medication that interacts adversely with alcohol, or are elderly. Risk factors can vary from person to person based on a variety of personal, genetic, and environmental variables. For example, people with depression, anxiety, trauma, or a family history of alcoholism may develop problems at lower levels of drinking than those not having these risk factors.

Mindful Moderate Drinking

Drinking mindfully is the key to drinking moderately. Mindful moderate drinking, as contrasted with thoughtless habitual drinking (which we often describe as “auto-pilot” drinking), means being fully conscious of your drinking in real time being mindful of how each drink is affecting your mood, behavior, thoughts, and body. Outlined below are some guidelines and strategies that can help facilitate mindful moderate drinking. *Remember:* Small changes can make a big difference, progress is often incremental, and it is important not to get discouraged by temporary setbacks if you find that you continue to drink more than you intend to on certain occasions. *Caution:* If you have any reason to think that you might be physically addicted to alcohol and at risk of suffering withdrawal symptoms (e.g., shakes, agitation, extreme anxiety, insomnia, seizures, etc.), it is essential that you consult a medical doctor before you significantly reduce your alcohol intake or stop drinking abruptly. Also, if you have tried repeatedly to moderate your drinking without success and simply find it too difficult to implement strategies like the ones listed below, then you might consider taking a break from drinking for a few weeks or months and/or seeking consultation from a healthcare professional. An addiction specialist that practices within a harm reduction model can help you decide whether a



Drug Administration (FDA) approved medications such as oral naltrexone, [long-acting injectable naltrexone \(Vivitrol\)](#), and acamprosate can help to reduce alcohol cravings and the urge to overdrink for a subset of individuals.

Subscribe to The Morning Email.

Wake up to the day's most important news.

address@email.com

SUBSCRIBE

Ten Tips for Mindful Moderate Drinking

1. Keep track. There are now many apps you can use to track your drinks, blood alcohol concentration (BAC), and alcohol-related caloric intake. Having this objective data during and after an episode of drinking can help you to gain a more realistic view of your consumption. Invest in a personal mobile breathalyzer such as [BACtrack S80](#) and set a goal of not exceeding a certain BAC when you are drinking. Here are some helpful apps: [DrinkSmart](#), [IntelliDrink](#), [Drinkaware](#), [DrinkControl](#), [Drinks Meter](#), [Drink Coach](#), [Moderate Drinking App](#), [BAC Alcohol Calculator](#), [R-U-Buzzed?](#), [Alc Calc Pro](#), [Drinking Buddy](#), and [AlcoDroid Alcohol Tracker](#). Another useful app developed to help breastfeeding women who drink understand when their breast milk is free of alcohol is [Feed Safe](#).
2. Pace and space. Drink slowly and have no more than one drink per hour, especially during the first hour. Also, when you're counting drinks, keep in mind that martinis and many other mixed drinks contain at least 2-3 drink units per serving.
3. Avoid drinking with heavy drinkers. However, if you do find yourself out with heavy drinkers, try having a club soda with lime in your hand so you can skip the next round and deflect unwanted attention.
4. Don't drink past your "off" switch. In other words, stop drinking before you stop thinking. In general, men lose their off switch after 3-5 drinks and women after 2-4 drinks, when consumed in less than 3-4 hours.
5. Include food and water. High protein foods and non-alcoholic beverages can help to decrease the absorption of alcohol into your bloodstream and brain. Eat something before taking your first drink and then intersperse non-alcoholic beverages like water in between drinks.
6. Pinpoint your heavy drinking triggers and plan ahead. Make a list of the people, places, and circumstances that have led to heavy drinking in the past, and try to avoid them.
7. Don't drink when you're emotionally upset. Using alcohol to self-medicate negative emotions is a setup for overdrinking.
8. Be careful about interactions with Rx medications. Discuss with your doctor the risks of drinking while you are taking any prescription drugs, over the counter medications, dietary supplements, or herbal remedies.
9. Safety first. Plan your transportation and make sure a reliable ride is always within reach. [Uber](#) and [Lyft](#), are must-have ride-sharing apps.
10. Think about tomorrow. If you have to be at work or have something else important to do first thing in the morning, then plan to stop drinking early enough so you can be on your game the next day.



Tap here to turn on desktop notifications to get the news sent straight to you.

organizations, multinational corporations, the U.S Food and Drug Administration, the U.S. State Department, and subcommittees of the U.S. Senate and House of Representatives. He has also served as a Clinical Professor of Psychiatry at New York University School of Medicine in the Division of Alcohol and Drug Abuse, and as Principal Investigator of research grants from the National Institute on Drug Abuse and several major pharmaceutical companies. [Dr. Ascher](#) is a board-certified general and addiction psychiatrist who serves as a clinical assistant professor in psychiatry at the University of Pennsylvania Perelman School of Medicine, Philadelphia, and is in private practice.

You May Like

Sponsored Links by Taboola

We Can Guess Your Education Level with Only 10 Questions

Definition

20 Of The Most Stunning Biracial Stars In Hollywood History

Hooch

13 Of The Hottest Interracial Couples In Hollywood History

Trend Chaser

8 Surprising Discounts Seniors Often Overlook Online

ConsumersTricks

Murphy's House Makes Alcatraz Looks Like A Paradise

Refinance Gold

Wild Dogs Bullied Golden Retriever To Near Death, Then This Happened

Mutually

MOST SHARED

Sean Hannity's Attempt To Trash The New York Times Does Not Go Well

Ranking The Best 25 Friends Episodes of All-Time

Sponsored by New Arena

Trump Asks For Van Gogh, Museum Offers Solid Gold Toilet Instead

Olympic Committee Gives USA Gymnastics An Ultimatum Over Sex Abuse Scandal

Rep. Joe Kennedy Picked To Give Democratic Response To Trump's State Of The Union



Trump Is Still Threatening To Pull Out Of NAFTA – Except Maybe He Can't

FDA Approves Cancer Pain Meds - Investor's All In
Sponsored by The Money Street

Stormy Daniels Smirks When Asked If She Had Affair With Donald Trump

Please Explain Why Vanity Fair Gave Oprah 3 Hands In This Photo

Trump Has A History Of Being Cocky And Unprepared Under Oath

GOP Rep. Pat Meehan Retiring Amid Reports Of Taxpayer-Funded Harassment Settlement

Gwyneth Paltrow: Ex-Husband Chris Martin Is Now 'Like My Brother'

[ABOUT US](#)

[RSS](#)

[User Agreement](#)

[ADVERTISE](#)

[FAQ](#)

[Privacy Policy](#)

[About Our Ads](#)

[Careers](#)

[Comment Policy](#)

[Contact Us](#)

[Archive](#)

